

CRT Micron UV Dual Band VHF UHF Mobile Transceiver



Price: £109.95

SKU: crt-micron-uv

In stock: 3

Product Categories: [LAMMY'S SPECIAL PROMOTIONS](#), [CRT SUPERSTAR FRANCE](#), [MOBILE TRANSCEIVERS](#)

Product Tags: [CRT Micron UV Dual Band VHF UHF](#)

Product Page:

<https://www.hamradio-shop.co.uk/product/crt-micron-uv-dual-band-vhf-uhf-mobile-transceiver/>

Product Summary

£109.95

Product Description

CRT Micron UV Dual Band VHF UHF

Mobile Transceiver



Ideal starter VHF UHF mobile or base transceiver

UHF-VHF DUAL BAND MOBILE TRANSCEIVER

RX/TX : 144-146 MHz -- 430-440 MHz

20W UHF - 25W VHF

CRT Micron UV Dual Band VHF UHF compact dual band mobile, with a large colour TFT display, offering all the features you could want and very good value for money.

As standard the radio covers 144-146MHz and 430-440MHz, for use in the UK.

The radio can also be expanded to cover 136-174MHz and 400-490MHz for use in countries that allow use on these frequencies.

Three power levels (5W, 15W and 25W).

CTCSS and DCS encoder/decoder included as standard.

Mode

FM (Wide/Narrow)

Frequency range

RX/TX : 144-146 MHz / 430-440 MHz

Output Power

5W / 15W / 25W

Input voltage

13,8V DC

Memories

200 channels

Channel spacing

12.5 / 20 / 25 KHz

Step of increment

2.5 / 5 / 6.25 / 10 / 12.5 / 20 / 25 / 30 / 50 KHz

Band Options

UU / UV / VU / VV

TONE BURST

1000Hz / 1450Hz / 1750Hz / 2100Hz

CTCSS / DCS (encoder/decoder)

52 CTCSS / 1024 DCS : sub-audio code to activate repeater like selective tone

DTMF (encoder)

Yes : tones selected to activate repeater, internet gateway and other items

DOUBLE WATCH

Yes

TOT

Yes : time out timer

CTCSS / DCS SCAN

Yes

SCAN

Yes : automatic search of busy channels

REVERSE

Yes : the current channel RX frequency will be switched to TX frequency

TALK AROUND

Yes : switch RX/TX frequencies and CTCSS/DCS code to avoid using repeater

Other Features

Backlit keys + Jack plug for external loud speaker + 6 functions keys PF1 to PF6 with 3 functions each + menu order can be personalised

Microphone

With speaker incorporated and programmable keys

Display

Large colour multifunction TFT display adjustable to 180 °

Level display

RX signal + TX power + channel number or frequency + various functions ...

Options

Programming cable + software

Programmable by software

Yes (optional lead required)

Size

122 (W) x 165 (L) x 35 (H) mm

Weight

480 gr

Product Gallery



